

Index of materials

1

1.0037 65
 1.0375 53
 1.0545 65
 1.1003 53
 1.1104 53
 1.1623 53
 1.1632 52
 1.4404 89
 1.4541 81, 109
 1.4571 174
 1.5069 63
 1.6580 63
 1.7220 63
 1.7335 42, 65
 1.8907 65
 1.8961 53
 1.8962 53
 1.8975 60
 13CrMo4-4 65–67
 13CrMo4-5 42, 65

3

30CrNiMo8 63, 65
 34CrMo4 63, 65
 36Mn7 63–65
 37Mn5 63
 304 90
 304 H 90–92
 308 H 90, 92
 309 L 90
 310 109
 316 89, 109
 316 H 90, 92
 316 L 90, 92
 321 109
 347 109

8

825 95, 185

a

ABS 22, 124, 133–134
 AC66 87
 ACM 142, 170, 172
 acrylate rubber 142, 172
 acrylate styrene acrylonitrile
 copolymer 124
 acrylic copolymer 148
 acrylonitrile butadiene rubber 27, 140,
 157, 171
 acrylonitrile-butadiene-styrene
 copolymer 124, 133–134
 acrylonitrile styrene copolymer 22
 Advantex® glass 175
 AFM 34 169
 AISI 304 90
 AISI 304 H 90–92
 AISI 308 H 90, 92
 AISI 309 L 90
 AISI 310 109
 AISI 316 89, 109
 AISI 316 H 90, 92
 AISI 316 L 90, 92
 AISI 321 109
 AISI 347 109
 Al99,5 31–32
 Alkadur® HR 158
 Alkadur® K 75 156
 Alloy 825 95
 AlMg 32
 AlMgSi 32
 AlMn 32
 aluminium 30, 183
 aluminium alloys 32, 183
 aluminium-boron-silicate glass 175
 aluminium materials 30

- aluminium oxide 106, 108, 186
 AM20 92–94
 AM60 92–94
 Anchor-Lok[®] PE 166
 Anchor-Lok[®] PP 166
 Anchor-Lok[®] PVC 167
 Anchor-Lok[®] PVDF 167
 aramid 170
 Aropol[®] 7241 176
 ASA 22, 124
 Asplit[®] CN 155
 Asplit[®] ET 156
 Asplit[®] FN 155
 Asplit[®] HB 156
 Asplit[®] VEC 156
 Asplit[®] VEQ 156
 Atlac[®] 382 176
 Atlac[®] 430 176
 Atlac[®] 580 177
 Atlac[®] 590 176
 AU 28, 144, 170, 173
 austenitic nickel chromium steels 80–81
 austenitic steels 72, 88, 91
 AVT 530 177
 AZ91 92–94
- b**
- beryllium oxide 106, 186
 BIIR 157–159, 162, 189
 binding agents 104
 Bisphenol resol 152
 bitumen 156
 Bornumharz[®] 6101 161
 boron carbide 111, 186
 BR 27, 163
 bromobutyl rubber 157, 159, 162
 Bücolit[®] V25 154
 Bücolit[®] V47-36 153
 Bücolit[®] V590G 152
 butadiene caoutchouc 163
 butyl rubber 27, 140, 157, 159, 162, 172
- c**
- C15 70
 CA 26
 CAB 26, 134
 cadmium 97
 carbides 106
 carbon 100–101, 170
 carbon graphite 174
 cast steel 41, 183
 cellulose acetate 26, 131
 cellulose acetobutyrate 26, 134
 cellulose hydrate 26
 cellulose nitrate 26
 cellulose triacetate 26, 131
 cement mortar 104, 156
 cement mortar waterglass cements 158
 Centricast[®] II 178
 ceramic materials 109
 ceramics 108
 cerium sulfide 111, 187
 Chemonit[®] 3B 159
 Chemonit[®] 10 160
 Chemonit[®] 31 HW 160
 Chemonit[®] 34 160
 Chemonit[®] 34HW 160
 Chempruf[®] 120 153
 Chempruf[®] 121 152
 Chempruf[®] 130 152
 Chempruf[®] 131 152
 Chempruf[®] 141 152
 Chempruf[®] 1300 153
 Chempruf[®] 1310 153
 Chempruf[®] 1410 153
 Chempruf[®] 2101 154
 Chempruf[®] 2201 154
 Chempruf[®] 2300 154
 Chempruf[®] 2310 154
 Chempruf[®] 2410 153
 chlorobutyl rubber 141, 157, 159, 162
 chloroprene rubber 27, 139, 157, 159, 163, 171
 chlorosulfonated polyethylene 141, 157, 162, 172
 chrome-molybdenum casting 174
 chrome steels 67–68, 184
 chromium 33
 chromium alloys 33
 chromium molybdenum steels 67, 184
 CIIR 141, 157–159, 162, 189
 CN 26
 cobalt alloys 32
 cobalt-chromium-tungsten alloys known as 32
 cold-vulcanizing rubber sheets 162
 concrete 101, 103–104, 186
 copper 33, 38–39, 183
 copper alloys 38
 copper base alloys 33
 copper-aluminium alloys 40, 183
 copper materials 38
 copper-nickel alloys 40, 183
 copper-nickel materials 40, 183
 copper-tin alloys 40, 183
 CR 27, 139, 157–159, 163, 171, 189
 CrNi steels 89
 CSM 141, 144, 157–159, 162, 172, 188

CTA 26
 CuNi10Fe1Mn 40
 CuNi90/10 40
 CW352H 40

d

Derakane[®] 411 176
 Derakane[®] 470 176
 Diabon[®] 100
 Disboxid[®] water protection system
 WHG Standard 158

e

EC 26
 EC Duro-Bond[®] Chlorbutyl 162
 EC Duro-Bond[®] E-CTFE Lining 165
 EC Duro-Bond[®] ETFE Lining 165
 EC Duro-Bond[®] FEP Lining 166
 EC Duro-Bond[®] Hypalon[®] 162
 EC Duro-Bond[®] MFA Lining 166
 EC Duro-Bond[®] Neoprene[®] 163
 EC Duro-Bond[®] PFA Lining 166
 EC Duro-Bond[®] PP Lining 165
 EC Duro-Bond[®] PTFE-M Lining 165
 EC Duro-Bond[®] PVDF Lining 165
 EC Duro-Bond[®] Rubber 159
 ECO 144
 ECR glass 175
 ECTFE 21, 120, 122, 165, 180–181, 187,
 189
 Edlon[®] 150
 elastomers 188
 electrolytic copper 33
 electrolytic zinc 97
 enamel 105, 186
 EN AW-5052 32
 EN AW-6063 32
 EN AW-Al Mg0.7Si 32
 EN AW-Al Mg2.5 32
 Enduraflex VE621BC 162
 EP 152, 175, 189
 epichlorhydrin rubber 144
 EPDM 27, 141, 144–145, 172, 188, 190
 EP-Novolak resin 152
 Epover[®]-S 149
 epoxy resins 104, 156
 EP resins 152, 177, 187
 Esshete[®] 1250 87
 ETFE 20, 120, 122, 165, 180–181, 187,
 189–190
 ethyl cellulose 26
 ethylene chlorotrifluoroethylene
 copolymer 21, 120, 165, 181

ethylene propylene diene rubber 27, 141,
 172
 ethylene tetrafluoroethylene copolymer 20,
 120, 165, 181
 ethylene-vinyl acetate copolymer 25, 126
 EU 28, 144, 170, 173
 EVA 126
 EVAC 25

f

factory rubber linings 162
 FEP 20, 120, 122, 150, 166, 180–181, 187
 ferritic steels 88
 FFKM 143–144, 170, 173, 188, 191
 Fiberdur[®] CSEP 178
 Fiberdur[®] CSVE 178
 Fiberdur[®] EP 178
 Fiberdur[®] VE 177
 fine-grain structural steels 65
 FKM 27, 142, 144–145, 172, 188
 floor coatings 158
 Fluon[®] 150
 fluorinated rubber 27, 142, 172
 fluorosilicone rubber 143, 173
 fluorothermoplastics 187
 Furadur[®]-F-Kitt 155
 Furadur[®]-Kitt 155
 furan resin 154–155, 190
 FVMQ 143, 173

g

Genakor[®] 022 160
 Genakor[®] 022R 160
 GFRP 175, 180, 190
 glass flakes 152
 gold 32
 gold alloys 32
 Gore-Tex[®] Series 300 gasket tape 170
 Gore-Tex[®] Series 600 gasket tape 170
 graphite 100, 108, 169–170, 186, 191
 Gylon[®] Blau 169
 Gylon[®] Standard 169
 Gylon[®] Weiß 169

h

Halar[®] 150
 hard rubber linings 161
 heat-resistant steels 41
 Hetron[®] 197-3 176
 Hetron[®] 922 176
 Hexoloy[®] 110
 high-temperature thermoplastics 122
 HNBR 27, 140, 145, 171

i

IIR 27, 140, 157–159, 162, 172, 189
 Incoloy[®] 825 95, 185
 IR 27, 158–159, 190
 iridium 97
 isobutene isoprene rubber 140, 172
 Isolast[®] J9510 174
 isoprene rubber 27, 158–159

k

Kerabonit[®] D3 HW 160
 Kerabutyl[®] BB-S 164
 Kerabutyl[®] BS 163
 Kerabutyl[®] V 163
 Keracid[®] EP 1102 158
 Keranol[®] EP 310 156
 Keranol[®] FU 310 155
 Keranol[®] FU 320 155
 Keranol[®] UP 311 156
 Keranol[®] VE 311 156
 Kerapren[®] VB 164
 Klingersil[®] C-4430 169
 Klingersil[®] C-4500 169
 Klingertop-chem[®]-2000 169
 Klingertop-graph[®]-2000 169

l

laminate coatings 153
 lead 97
 lead alloys 97
 Liquidline[®] 100 161
 low-alloy chromium-molybdenum steels 44
 low-alloy steels 41–42, 44, 47, 65, 67, 183

m

MABS 124
 Macrolon[®] 3200 131
 magnesium 92, 94
 magnesium alloys 92, 94
 magnesium materials 93
 magnesium oxide 106, 186
 martensitic steels 68, 184
 Matrimid[®] 5218 131
 MC protection system 1900 158
 mechanical seals 174
 methacrylonitrile styrene copolymer 23
 methyl-methacrylate-acrylonitrile-butadiene-styrene copolymer 124
 methyl rubber 27
 MFA 120, 122, 166, 180, 187
 molybdenum 94
 molybdenum alloys 94
 molybdenum disilicide 111, 187

mortars 101, 104, 186
 MQ 28, 143, 173
 mullite 108

n

natural rubber 27, 139, 158–159, 171
 NBR 27, 140, 144–145, 157–158, 163, 169, 171, 174, 188, 190
 nickel 94, 185
 nickel alloy 95
 nickel-chromium-iron alloys 95, 185
 nickel-chromium-molybdenum alloys 95, 185
 nickel-chromium steels 79
 Ni-Cr-Fe alloys 95
 NiCrMo alloys 96
 Nil-Cor[®] 300 178
 Nil-Cor[®] 310 176
 Nil-Cor[®] 500 178
 Nil-Cor[®] 510 177
 Nil-Cor[®] 610XP 177
 niobium 97, 185
 nitrides 106
 nitrile caoutchouc 140
 nitrile rubber 163, 169, 171
 novafon[®] 200 169
 novafon[®] 500 169
 novaphit[®] SSTC 169
 novaphit[®] VS 169
 novatec[®] PREMIUM II 167–169
 novolak resin 152
 NR 27, 139, 158–159, 171, 189–190

o

one-site rubber linings 164
 osmium 97
 OT 144
 oxide ceramics 106
 Oxydur[®] Flake 153
 Oxydur[®] HT 156
 Oxydur[®] TM 156
 Oxydur[®] VE-K 156
 Oxydur[®] VE-L 154

p

PA6 24, 125
 PA11 24, 125, 150
 PA12 25, 126
 PA66 24, 125
 PA610 125
 PAI 122
 Palatal[®] A 410 176
 Palatal[®] P 69 176
 palladium 97

- PAN 23, 170
 PB 114
 PBI 22
 PBT 23, 124
 PC 24, 125, 127, 133–134
 PCTFE 20
 PE 133, 166, 180, 187, 190
 PEEK 21, 122
 PE-HD 19, 112, 115, 180
 PEI 21, 122, 134
 PE-LD 18, 112
 PE-LLD 19, 116
 PE-MD 19
 perfluoro rubber 143, 173
 PESU 21, 121
 PET 23, 124, 133–134
 PE-UHMW 113, 190
 PE-X 113
 PF 189
 PFA 20, 120, 122, 166, 180, 187
 PFA/FEP 189
 Pfaudler® PharmaGlass PPG 105
 PTFE 189
 phenolic resin 138, 151, 154–155, 186, 190
 PI 22, 122
 PIB 20, 114, 157, 191
 pipe steel 62
 Plascoat® PPA 571 149
 Plasguard® 4550 152
 platinum 97
 platinum metals 97
 PMMA 25, 126–127, 129, 133–134
 PMQ 28
 poly(2,2,4,4-tetramethylcyclobutane carbonate) 24
 poly-2,6-dimethyl-p-phenylene oxide 131
 poly-4-methylpentene-1 116
 polyacrylonitrile 23, 170
 polyamide 6 24, 125
 polyamide 11 24, 125, 150
 polyamide 12 25, 126
 polyamide 66 24, 125
 polyamide 610 125
 polyamideimide 122
 polyaryl ether ether ketone 21
 polybenzimidazole 22
 polybutadiene 27
 polybutadiene, hydrated 27
 polybutene 114
 polybutylacrylate 104
 polybutylene terephthalate 23, 124
 polycarbonate 24, 125, 127, 131, 133–134
 polychlorotrifluoroethylene 20
 polydicyclohexyl siloxane 28
 polydimethyl butadiene 27
 polydimethylsiloxane 28
 polyester resins 137
 polyetheretherketone 122
 polyetherimide 21, 122, 131, 134
 polyethersulfone 21, 121, 131
 polyethylen naphthalate 23
 polyethylene 18, 112, 115–116, 133, 166, 180
 polyethylene terephthalate 23, 124, 133–134
 polyethylmethacrylate 25, 130
 polyimides 22, 122, 131
 polyisobutylene 20, 114, 157
 polyisoprene 27
 polymer concrete 104, 186
 polymer dispersions 148
 polymer materials 158
 polymethylethyl siloxane 28
 polymethylmethacrylate 25, 104, 126–127, 129, 133, 134
 polymethyloctyl siloxane 28
 polymethylpentene 114
 polymethylphenyl siloxane 28
 polymethylpropyl siloxane 28
 polyoctenamer 27
 polyolefine 112–115
 poly(oxy-2,6-dimethyl-1,4-phenylene) (polyphenylene ether) 26
 polyoxymethylene 26, 126
 polyphenylene oxide 126, 133–134
 polyphenylene sulfide 121, 175–178
 polypropylene 19, 113, 165–166, 180
 polystyrene 22, 123, 127–128, 133–134
 polysulfone 21, 121, 131, 134
 polysulphide rubber 144
 polytetra-butylene carbonate 24
 polytetrafluoroethylene 20, 119, 165, 186
 polytetramethylene carbonate 24
 polyurethane 28, 133, 152–153, 156
 polyurethane rubber 144, 173
 polyvinyl alcohol 25
 polyvinylbenzoate 25
 polyvinyl chloride 20, 112–115, 119, 133–134, 157, 165, 167, 180
 polyvinyl fluoride 21
 polyvinylidene chloride 20, 115
 polyvinylidene fluoride 21, 121, 133, 165, 167, 181, 186
 poly(vinyl-m-methylbenzoate) 25
 poly(vinyl-p-isopropylbenzoate) 25
 POM 26, 126
 Portland cement 101, 104
 potassium silicate 156

powder coatings 151
 PP 19, 113, 115, 165–166, 180, 187, 190
 PPE 26, 126, 133–134
 PPS 121, 175–178
 pre-vulcanized rubber sheets 162
 Proco® – L 151
 Proguard® CN 100 152
 PS 22, 123, 127, 133
 PS-HI 22, 123, 134
 PSU 21, 121, 134
 PTFE 20, 119, 122, 169–170, 180, 186–187
 PTFE-M 165
 PU 133
 PUR 189
 pure aluminium 31–32
 pure copper 35, 37
 pure iron 47, 57
 pure zinc 98
 PVAL 25
 PVC 133
 PVC-C 115, 180, 187, 190
 PVC-P 20, 115, 117, 119, 157, 165
 PVC-U 20, 114–115, 134, 167, 180, 187, 190
 PVDC 20, 115
 PVDF 21, 121–123, 133, 165, 167, 180–181, 186–187, 190
 PVF 21

r

ramie 170
 RBSiC 108
 reaction resin putties 155
 Rhenoguard® Jumbo 150
 rhodium 97
 Rilsan® PA 11 150
 rubber coatings 157
 ruthenium 97

s

S235JR 65–66
 S355N 65–66
 S500N 65
 SAN 124
 Sanicro® 28 87
 SB 123
 SBR 139, 158, 160, 171, 190
 SBR, IR 189
 sealing layers 156
 SiC 106, 108, 175, 186
 Sigrabond® 101
 Sikafloor® water protection system 390 158
 silicon carbide 106–107, 111, 175, 187

silicone rubber 143, 173
 silicon nitride 109
 silver 30
 soft rubber linings 164
 spray-applied coatings 151
 St 37-2 65
 stainless steels 73
 StE 355 65
 StE 500 65
 Stellite® 32
 StoCretec WHG System 1 158
 styrene-acrylonitrile copolymer 124
 styrene-butadiene copolymer 123
 styrene-butadiene rubber 139, 158, 160, 171

t

tantalum 97, 185
 tempered steels 62, 184
 tetrafluoroethylene-hexafluoropropylene copolymer 20, 120, 150, 166, 181
 tetrafluoroethylene/perfluoromethyl vinyl ether copolymer 120, 166
 tetrafluoroethylene-perfluoropropylvinylether copolymer 20, 120, 166, 180
 thermoplastic elastomer 135
 thermoplastics 115
 thermoplastic webs 157
 tin 97
 tin alloys 97
 titanium 97, 185
 titanium alloys 97, 185
 titanium carbide 111
 titanium nitride 109, 111
 TP347H 87
 TPE 135
 TPE-U 26, 135
 Trovidur® W 2000 165
 trowel-applied coatings 153

u

Udel® P3500 131
 Ultem® 1000 131
 Ultrason® E 6010P 131
 unalloyed steel C15 70
 unalloyed steels 43, 51–52, 56
 unsaturated polyester resin 156
 UP 152, 175, 187, 189
 UP HET acid resin 152
 UP resins 104, 176, 186

v

VE 152, 175, 187, 189

VE resins 176
vinyl ester resins 138, 156
VMQ 143, 173
Vulcoferran[®] 2190 160
Vulcoferran[®] 2194 160
Vulcoferran[®] 2208 162, 164
Vulcoferran[®] 2503 163
Vulkodurit[®] 1250 160
Vulkodurit[®] 1691 162—75
Vulkodurit[®] 1755 162
Vulkodurit[®] D3 159

w

Wagulast[®] BIIR 1642 162
Wagulast[®] BIIR 1643 164
Wagulast[®] CR 1504 164
Wagulast[®] CSM 1717 164
Wagulast[®] CSM 1720 162
Wagulast[®] NBR 1833 164
Wagulast[®] NBR 1842 163
Wagulast[®] NR 1358 163
Wagunit[®] 1050 160

Wagunit[®] H 1000 159
Wagunit[®] H 1010 160
Wagunit[®] H 1110 160
Wagunit[®] H 1118 159
Wagunit[®] H 1122 160
Wavistrong[®] 178
welding materials 90

x

X10 87
X20 87
X20Cr13 69—71
X 65 60, 62

z

zinc 97
zirconium 99, 185
zirconium alloys 99, 185
zirconium dioxide 106, 186
zirconium oxide 108

Subject index

a

aging resistance 159
 anhydride of carbonic acid 5
 aqueous carbon dioxide-containing solutions 96
 aramid fiber 169
 ash deposits 87–88, 185

b

beverage industry 33
 binding agent 186
 biomass 87
 Boudouard reaction 79
 Boudouard's equilibrium 43
 bound carbonic acid 11
 bubble formation 145

c

carbide formation 16
 carbon activity 15–16
 carbonate hardness 11
 carbonatization 101–103, 186
 carbonatization coefficient 102
 carbonatization depth 104
 carbonatization rate 104
 carbon diffusion 95
 carbon fibers 169
 carbonic acid excess 11
 carbonic acid snow 5
 carbon monoxide 95
 carburization 16, 95, 185
 carburizing gases 95
 catastrophic carburization 16
 CERT tests 66
 C-glass 175
 chemical and petrochemical plants 72
 chemical equipment 180
 chemical plant construction 33
 chemical vapor deposition 106

cladding 29
 coatings 29, 148
 cold forming 56
 cold water pipes 38
 combined linings 155
 combustion gases 72, 87
 compression heat 14
 compression packings 170
 condenser 33
 copper components 40
 copper corrosion 37
 copper oxide layers 40
 copper pipes 33, 35
 corrosion 17
 corrosion protection 29
 cracking tendency 64

d

device flange connections 170
 dissociation constant 6
 drinking water distribution systems 38
 drinking water pipes 33
 drinking water supply 39
 dry ice 5, 14
 duroplastics 187

e

E-glass 175
 elastomer webs 158
 electrochemical measurements 52
 enamel coatings 105
 erosion corrosion resistance 70
 ethanolamine process 14
 excessive free carbonic acid 11
 explosive cladding 29
 explosive decompressions 145, 174, 188

f

factory rubber linings 158
 fillers 104
 fire extinguishers 63
 firmly bound carbonic acid 11
 flake filler 152
 flat seal 167
 flow rate 44
 flue gas purification 14
 free carbonic acid 11
 fresh water pipeline 33
 fuel element cladding tubes 79

g

gas bottles 63
 gas containers 65
 gas pipelines 60
 German Washing and Cleansing Agents Act 13
 glass fiber reinforced plastics 175
 glass transition temperatures 117, 127, 130
 grain boundary sensitization 90
 graphite 16
 graphite plates 106
 gratings 177
 green rot 95

h

hard chromium layers 33
 hardness value 13
 hard rubber linings 158, 189
 hard surfacing layer 90, 92
 heat exchangers 33
 heat exchanger tubes 41
 high-pressure vessels 145
 high-temperature corrosion 107
 hydration 51
 hydrocarbons 95
 hydrogen embrittlement 16
 hydrogen evolution 51
 hydrogen-induced crack formation 65
 hydrogen-induced stress corrosion cracking 16, 62, 65
 hydrogen permeation measurements 65
 hydrogen sulfide 15
 hydrolytic attack 17

i

industrial atmosphere 92
 industrial floor coatings 158
 inhibitors 38

l

laminate coating 189
 laminates 176
 lime-aggressive carbonic acid 11
 lime-aggressive (lime-attacking) carbonic acid 11
 lime-carbonic acid balance 11
 limestone 12
 linings 148
 loose jacket lining 189

m

magnetite 41
 magnetite layer 41–42
 manufacture of chemical equipment 115, 187
 maritime environment 92
 medical technology 33
 metal dusting 16
 mineral fillers 161
 mineral flakes 152
 mineral waters 40
 mullite layers 109

n

natural gas production 62
 nuclear reactors 41, 79

o

oil extracting facilities 15
 O-rings 167, 170–174
 oxidation 16
 oxygen activity 15

p

packings 167, 170
 peposition welding 29
 periods of downtime 40
 permeability 104, 116, 118, 123, 149, 159
 permeability coefficient 18, 115–119, 123, 127–131, 135, 145–146, 148
 permeation coefficients 117, 135
 permeation 18
 petrochemical plants 57
 petroleum production 15
 pipes 177
 pitting corrosion – type 1 38–39
 plasma spraying 109
 plastification pressure 131
 pore volume 104
 powder coating 189
 power plants 72, 87
 processing of crude oil and natural gas 47
 process waters 97

production 69
 protective film 29

r

related free carbonic acid 11
 reservoirs 47
 retention ponds 158
 Reynolds number 70
 roll cladding 29
 rotating disk specimens 53
 rubber linings 148, 158
 rubber powder 161
 rubber webs 158
 rural environment 92

s

salt melts 108
 salt spray tests 93
 scale 12
 scale-offs 41
 scaling 42
 sealants 145
 sealing rings 170–173
 sealing strip 170
 seawater desalination plant 40
 silver solders 30
 sliding ring seal 167
 slow strain rate tensile tests 66
 soft rubber linings 159, 189
 solid particle 71
 solubility coefficient 8
 sorption 146
 sour gas condensate 65
 sour gas plants 32
 spray-applied coating 189
 spraying process 161
 sterilization methods 132
 stress corrosion cracking 63, 184
 stresses 17
 sublimation temperature 5
 swelling 17
 syngas plants 65
 synthetic drinking water 37

t

tanks 158
 technical solubility coefficient 7
 temperature resisting steel 42
 test procedures 28
 textile glass 175
 thermal conductivity 5
 thermal shock resistance 96
 thermal spraying 29
 thermoplastic elastomers 187
 thermoplastic linings 189
 thermoplastics 187
 thin coating 189
 titanium nitride layers 109
 total carbonic acid 11
 total water hardness 13
 transcrystalline stress corrosion
 cracking 65
 transport of natural gas and crude oil 68
 triple point 14
 trowel-applied coating 189
 types of damage 17

u

ultrapure carbon dioxide 54

w

water aggressiveness 12
 water/cement ratios 102, 104, 186
 water hardness 12
 water pipe systems **38**
 water pressure test 63
 water protection 158
 water's degree of hardness 12
 water vapor content 42
 water vapor permeability 148–149, 164,
 187
 welding technology 33

y

yarns 170