

Index of materials

- o**
 0.6655 184
 0.6660 184, 218, 319
 0.6661 218
 0.6676 319
 0Ch20N6M2T 59
 0Ch21N5T 27, 37
 0Ch21N6M2T 27, 37
 0Ch23N28M3D3T 105–107, 194–195
 00Cr20Ni25Mo4.4Cu 57
 000Ch21N21M4B 105–107
 03Ch21N21M4B 34, 59
 06Ch23N28M3D3T 194, 196
 06ChN28MDT 115, 279–282
 06Kh23N28M3D3T 193
 06XH28MIIT 358
 08Ch17N15M3T 115
 08Ch21N6M2T 28, 279
 08Ch22N6T 27, 279–281
 08-KP 187
 08X21H6M2T 358
 08X22H6T 358
- 1**
 1.0036 99–100, 102, 188–189, 206, 215, 217
 1.0037 145, 202–205
 1.0308 295
 1.0330 6
 1.0333 4–6, 264
 1.0335 187
 1.0345 225, 232–233
 1.0375 133
 1.0401 149
 1.0408 264
 1.0425 313
 1.0545 145, 240, 313, 315
 1.0553 239
 1.0562 232–233
 1.0564 5
 1.0580 236
 1.0670 5
 1.0671 5
 1.1003 133
 1.1104 133
 1.1191 256
 1.1623 133
 1.4000 178, 277–278
 1.4002 277–278
 1.4003 277
 1.4006 100, 102, 176, 241, 271, 277–278
 1.4016 30, 176, 178, 241, 277–278
 1.4021 30, 103, 148, 191, 277–278
 1.4024 278
 1.4028 278
 1.4031 278
 1.4034 278
 1.4057 30, 277–278
 1.4104 278
 1.4110 278
 1.4112 278
 1.4113 29, 278
 1.4120 277
 1.4122 19, 278
 1.4136 18
 1.4301 28, 33, 35, 105, 181–183, 241, 255, 257–258, 271, 274–275, 277–278
 1.4302 104–105
 1.4303 277
 1.4304 278
 1.4305 274, 278
 1.4306 274, 276–278, 346
 1.4307 277
 1.4310 192, 277
 1.4311 278
 1.4313 278

- 1.4315 278
1.4318 278
1.4361 278
1.4362 273, 335
1.4401 28, 30, 33, 107, 110, 182, 195, 241,
275, 277-278, 282, 350, 353
1.4404 169, 179, 184, 195, 272, 274,
277-278, 282, 356
1.4405 278
1.4410 195
1.4427 278
1.4429 277
1.4435 107, 182-183, 244-246, 272, 274,
278, 356
1.4436 29, 53, 110, 275, 278
1.4438 33, 278
1.4439 51-53, 107, 183, 278
1.4449 110, 182
1.4460 177, 278
1.4462 107, 150, 245-246, 273, 278-279,
282, 335-336, 356
1.4465 277-278
1.4466 278, 361-362
1.4467 278
1.4501 30
1.4503 193-194
1.4505 182
1.4507 183
1.4509 278
1.4510 27, 57, 278
1.4511 278
1.4512 278
1.4520 278
1.4521 278
1.4523 104
1.4528 278
1.4529 182, 195
1.4539 51-52, 69, 73, 182, 245-246,
277-278, 282, 356
1.4541 33-34, 36, 38, 52, 105, 160-161,
192-194, 257, 259-260, 278-279
1.4542 278, 334
1.4544 278
1.4546 278
1.4547 245-246
1.4548 271, 278, 334
1.4550 33, 278
1.4552 206
1.4561 278
1.4562 195
1.4565 277
1.4568 278
1.4571 33, 36, 38, 50-53, 55-56, 64, 66,
107, 115, 182-183, 194-196, 278-279
1.4573 55, 105
1.4575 245-246
1.4580 33, 107
1.4589 278
1.4591 285, 361
1.4841 110, 182, 271
1.4845 193
1.4876 245-246, 274-275, 344
1.5069 142
1.5415 232-233, 295, 313
1.5622 73
1.6580 142
1.7035 209
1.7218 225
1.7220 142
1.7279 232
1.7335 120, 145, 232-233, 313
1.7380 282, 313, 353
1.8719 225
1.8812 225
1.8850 241, 243
1.8905 232-233, 240
1.8907 145, 241, 243
1.8961 133
1.8962 133
1.8975 138
1Ch13 100, 102-103
1Ch21N5T 37, 106-107
1H18N9T 36
10Ch17N13M2T 34, 279, 281-282
10Ch17N13M3T 34, 55, 105, 196
10CrMo9-10 282, 313, 315, 352
10X17H13M2T 358
12Ch18N10T 34, 105, 193, 279, 281-282
12X18H10T 358
13CrMo4-4 146
13CrMo4 4 232
13CrMo4-5 120, 145, 232-233, 313, 315
15Ch25T 279-280
15Mo3 232
15X25T 358
16MnR 302-304
16MnRE 302, 304
16Mo3 232-233, 295, 313, 315
17-4PH 39-40
17-4-PH 271
17-4PH 334
17-7PH 39-40
17-10P 40
17 MnCrMo 3 3 232
18-8 nickel chromium steels 160
18Cr2Mo 28
18Cr-10Ni-2.5Mo 340
1008 6

- 1018 138, 141
 1020 4, 189
 1030 306
 1042 256
 17241 37
- 2**
- 2.4060 111
 2.4360 111, 241
 2.4602 245–246
 2.4610 241
 2.4617 245–246
 2.4619 245–246
 2.4642 274
 2.4662 284
 2.4800 111
 2.4816 241, 274–275, 282, 344, 353
 2.4819 356
 2.4858 245–246, 284, 349
 2.4951 352
 2Ch13 103, 191
 2Ch18N9 192
 20ChGS2 209, 218
 20Ch23N18 193
 20Cr-25Ni-4.5Mo 340
 20Cr25Ni/Nb 152–154, 156, 158
 20Cr-25Ni-Nb steel 163
 20Cr25Ni/Ti 152–153, 155, 157–158
 20Cr25Ni/TiN 153, 159
 20Cr25Ni/TiNb 152, 156
 20GS2 209
 22Cr-5Ni-3Mo 340
 23Cr-4Ni 340
 25Cr-7Ni-4Mo-N 340
 27Cr-31Ni-3.5Mo 340
 201 32, 37
 254 SMO[®] 245
- 3**
- 3.7055 245
 3RE60 332
 30CrNiMo8 142–143
 32CrNi3MoV 321
 33 285, 361–362
 33CrNi3MoV 321
 34CrMo4 142–143
 34CrNi3Mo 321
 36Mn7 142–143
 302 28, 37, 44, 47, 50, 98, 343
 303 274, 343
 303 super 343
 304 28–30, 33–35, 38, 40, 42, 44, 49–50,
 73–74, 98, 111–112, 114, 169–170,
- 181–183, 192, 241–242, 255, 257–260,
 274–276, 285, 330, 332–333, 343, 345
 304 H 169–171
 304 L 30, 34–35, 38, 44, 48, 274–276, 346,
 349
 305 40
 305 Cu 343
 308 42
 308 H 169–171
 309 37, 52, 67, 169, 343
 309 L 169–170
 310 34–35, 42, 48, 110, 260, 276, 330, 343,
 348–349
 310 MoLN 73
 316 28–30, 33–34, 38, 48, 52–53, 56–57,
 59–62, 64–68, 73, 98, 110–112, 114, 169,
 178, 182, 195, 241–242, 260, 274–276,
 283, 285, 343–344, 348, 350, 352, 355
 316 Cb 33, 61
 316 ELC 52, 67
 316 H 169–171
 316 L 34, 169–171, 179–180, 182, 184,
 272, 274, 283, 343
 316 Ti 33–34, 36, 38, 50–51, 55, 67, 115,
 182, 361–362
 317 33, 52–53, 55–56, 60, 63, 65, 67, 110,
 112, 114, 182
 317 L 33, 69
 321 33–34, 36, 38, 42, 44, 50, 257,
 259–260
 329 48, 177
 330 343
 347 33–34, 36, 42, 44, 47, 49–50, 53, 56,
 98, 206, 258
 349 57
- 4**
- 40Ch 209
 45 256
 403 333
 405 22, 26, 332–333
 410 22, 26, 31, 37, 40, 52, 68, 74, 176, 178,
 241–242, 271, 322, 332, 334
 416 22, 40
 420 19, 22, 39, 257
 430 27, 52, 68, 176, 178, 241–242
 431 19, 39
 434 29, 177
 439 27, 36
 440 A 39
 440 C 39
 443 28
 444 27–28
 446 52, 68

4130 225–226

5

5LX65 138

6

600 241–242, 258, 274, 275, 282, 344–345, 352

625 285

690 274

7

702 245

8

800 274, 275, 285, 344–345

825 107, 114, 284–285, 349

9

901 284

904 L 69, 73, 182

a

A48CPR 302, 304

A 202 225

A 212 225

A 285 225, 300, 304, 306

A508C13 169–170

A 516 300, 303–306, 308–311

A 516 grade 70 305

A 517 (F) 241–242

A 517 grade F 227–228, 243

AC66 167

AE 316 73

Al 2205[®] Alloy 271, 273

Alloy 33 285, 361–362

AlMg2.5 241

Aloyco[®] 20 52, 67

aluminium alloys 209

aluminium bronze 33

aluminium bronze, 10% Al 56

AM 350 73

Antacid[®] 176Armco[®] iron 3, 6, 187, 206, 256–257, 259–260, 267

ASTM A 285 303

ASTM A 516 grade 70 303

ASTM F138 282, 356

austenitic cast iron 73, 244, 269–270, 319

austenitic chromium-nickel-molybdenum(N) steels 244, 349

austenitic chromium-nickel-molybdenum(N) steels and CrNiMoCu(N) steels 244

austenitic chromium-nickel-molybdenum steels 51, 100, 104, 107, 180, 192, 194, 219, 258, 349

austenitic chromium-nickel steels 32, 34, 68, 104, 115, 151, 180, 191, 219, 244, 258, 274, 277, 342

austenitic chromium-nickel steels with special alloying additions 68, 100, 107, 180, 196, 219

austenitic CrNi steels 169, 284

austenitic CrNiMo(N) steels and CrNiMoCu(N) steels 277

austenitic CrNiMo(N) steels 169, 244

austenitic CrNiMoCu(N) steels 169, 244, 361

austenitic-ferritic steels 340, 356

austenitic nickel chromium steels 159–160

austenitic stainless steels 35, 168

austenitic steel 32, 56

austenitic steels 32, 35, 56, 69, 151, 167, 171, 259, 340, 358

AVESTA[®] 254 SMO 51**c**

C15 149

C-276 356

C-1018 311

carbon-manganese steels 239

carbon steels 6, 99, 102, 113–114, 175, 188–189, 200–201, 251, 266, 276, 295, 300

Carpenter[®] 7 Mo 48Carpenter[®] 20 33, 53, 64, 260Carpenter[®] 20 Cb 48Carpenter[®] 20 Cb-3 67, 112, 114

cast chromium steel 104

cast ferrosilicon 244, 269, 316

cast iron 11–15, 95, 97, 99–100, 218, 244, 269, 317

cast steel 43, 95, 119, 199, 223, 263, 293, 334

CdSn-alloys 10

cement 213

Ch15T 191

Ch16N15M3 106–107

Ch17M2TL 27

Ch17N5M3 106–107

Ch17N13M2T 36, 55, 106–107, 195

Ch17N13M3T 36, 105–107, 194

Ch17T 27, 57

Ch18N9T 36, 259–260

Ch18N10T 36, 106–107, 192, 194, 206

Ch18N12M2T 191, 194

Ch21N5 37
 Ch21N5T 37
 Ch21N6M2 37
 Ch21N6M2T 37
 Ch23N28M3D3T 194
 ChN78T 279–280, 282
 chromium-molybdenum steels 29, 122, 146, 344
 chromium-nickel-molybdenum-copper steel 195
 chromium-nickel-molybdenum steels 59–64, 104, 109–110, 179, 195, 244
 chromium-nickel steels 49, 74, 104–107, 180, 183, 192–193, 259, 276, 335, 343, 348
 chromium steels 19–20, 103–104, 147, 177, 191, 257, 329
 Circle[®] L-34 260
 C-Mn steels 267
 CN 20 74
 concrete 202
 constructional steels 206, 223, 225
 container steel 227
 copper 33, 53, 56–57, 257
 copper alloys 35
 copper-nickel 70/30 56
 CrAl-steel 75
 CrMoTi 332
 CrNiMo-steel 196
 CrNiMo-steels 20 10 195
 CrNi-steel 17 14 259
 CrNi-steel Ch18N9T 257
 Cr-Ni steels 168, 257, 275
 Cr steel 150–151
 CuNi-alloy 111
 Cu-steel 96
 Custom 450[®] 74
 Custom 455[®] 74
 CuZn-alloys 9, 11

d

duplex steels 244, 271, 273, 334–335, 337–338, 341
 Duracid[®] 176
 Durichlor[®] 176
 Durimet[®] 20 68–71, 74
 Duriron[®] 175–176

e

E255 4
 E-Brite[®] 26-1 29–30, 178, 332
 EL-417 193
 EL-943 193–194

EN AW-1100 111
 EN AW-3003 111, 241–242
 EN AW-5454 241–242
 EN AW-6061 111
 EN-GJLA-XNiCuCr15-6-2 184
 EN-JL3011 73, 184, 218
 EN-JS3011 75
 EP-567 36
 Esshete[®]1250 167

f

F138 357
 F41000 73, 218
 F41001 218
 F41002 218
 F41003 218
 Ferralium[®] 337
 Ferralium[®] 255 273, 335
 Ferralium[®] alloy 183–184
 ferritic-austenitic steels 27, 103, 164, 179, 219, 244, 271, 273–274, 282–283, 334, 336
 ferritic-austenitic steels 244, 271, 334
 ferritic-austenitic steels with more than 12% chromium 19, 103, 179, 219
 ferritic chrome steels 244, 270–271
 ferritic chrome steels with 13% Cr 146, 244, 270, 244, 271
 ferritic chromium steels 29, 103, 177–178, 191, 219, 257, 319, 329
 ferritic chromium steels with more than 12% chromium 19, 103, 176, 191, 219, 257
 ferritic chromium steels with 13% Cr 319
 ferritic chromium steels with ≥ 13% Cr 147, 329
 ferritic/perlitic-martensitic steels 147, 244, 271, 334
 ferritic steels 167, 209, 358
 FeSi-alloys 18
 fiber glass 202
 fine grain constructional steels 224, 231–232, 240, 315
 fine-grain structural steels 145

g

G12CrMo9-10 353
 G10150 149, 202–205
 G10060 187
 G41350 142–143
 G43400 142–143
 G51400 209
 GGG NiCr 20 3† 75
 GGL-NiCr20-2 184, 319

GGL-NiCr30-3 319
 GGL-NiCuCr 15 6 3 218
 gray cast iron 14, 175, 269
 grey cast iron 316–317
 Guronit® GS2 18
 G-X40CrNi27-4 334
 GX70CrMo29-2 18

h

H17N13M2T 36
 H13400 142–143
 Hastelloy® A 52–53, 68
 Hastelloy® B 52, 57, 67, 111, 175
 Hastelloy® B 2 184
 Hastelloy® C 33, 52–53, 56–57, 67, 107,
 111, 285
 Hastelloy® C 4 184, 241–242
 Hastelloy® C 276 184
 Hastelloy® D 111
 high-alloy cast iron 13, 15–18, 73, 101,
 175, 191, 218, 257, 269, 319
 high-alloy multiphase steels 147, 334
 high-silicon cast iron 13, 15–18, 101, 175,
 191, 218, 257
 HI 232

i

Illium® 52, 67
 impermeable concrete 202
 Incoloy® 625 285
 Incoloy® 800 274, 275, 285, 344–345
 Incoloy® 825 107, 114, 284–285, 349
 Incoloy® 901 285, 349
 Incoloy alloy 901 284
 Inconel® 33, 52–53, 56, 68, 98, 258
 Inconel® 600 241–242, 258, 274, 275, 282,
 344–345, 352
 Inconel® Alloy 690 274
 interstitial steels 29
 iron 188–189, 199, 218, 263–264
 iron materials 241
 iron-nickel alloys 362
 iron-nickel cast alloys 270

j

J92610 274

k

K01600 232
 K01700 232
 K01702 254–255
 K02001 145
 K02502 99–100, 102, 145, 188–189, 206,
 215, 217

K11547 120, 145, 232
 K11820 232
 K12000 239
 K12004 232
 K12709 145
 K13050 73
 Kovar® 29NK 74

l

Langalloy® 20 V 183
 low-alloy cast iron 218, 223, 269, 316
 low-alloy steels 95, 119–121, 125, 136,
 144, 146, 188, 223, 238, 251–253, 255,
 263, 269, 293
 low-carbon steels 29, 190
 low-phosphorus steel 299

m

malleable cast iron 12
 manganese-aluminium steels 362
 martensitic stainless steels 334
 martensitic steels 244
 Meehanite® 269, 318
 Meehanite-HD 269, 318
 Midvale® 2024 29
 mild steel 96
 Mn-steel 96
 molybdenum-alloyed steel 104
 Monel® 8, 33, 35, 52–53, 56, 68, 98
 Monel® 400 111, 114, 241–242

n

N-80 5
 N06022 245
 N06985 245
 N08031 195
 N08800 245
 N08825 245
 N08904 51, 245, 356–357
 N08926 195
 N10665 245
 N-A-XTRA 70 232
 nickel 33, 52–53, 56, 68, 98, 114
 Nickel 200 111
 nickel alloys 35, 241
 nickel-chromium alloys 284
 nickel chromium steels 159
 Nickel II2 358
 NiCr15Fe 241, 274, 353
 NiCr21Mo 284
 NiCr29Fe 274
 Nicrofer® 3033 285, 361
 Nicrosilal® 75
 NiCu 30 Fe 241

- NiMo16Cr16Ti 241
 Nimonic[®] 75 352
 niobium-stabilized steel 153, 161, 258
 Ni-Resist[®] 75-76, 184
 Ni-Resist[®] 1 99, 218
 Ni-Resist[®] 1b 218
 Ni-Resist[®] 2 75, 218
 Ni-Resist[®] 2b 218
 Ni-Resist[®] alloys 218
 Ni-Resist[®] D-2 75
 Ni-Resist[®] D-2B 75
 Ni-Resist[®] type 1 73
 NIROSTA[®] steels 277
 nodular cast iron 317
 non-alloy cast iron 257
 Noricid[®] 176
 Noricid[®] B 176
- o**
- Orion[®] 26-1 30
- p**
- P-105 5
 P-110 5
 P235GH 232-233
 P265GH (HII) 313, 315
 P355N 232-233
 P460N 232-233, 240
 PG-Sr 3 38
 pipe steel 140, 229-230
 Portland cement 203, 213-214
 pure aluminium 241
 pure iron 6, 95, 125, 136-137, 139, 187,
 241-242
 Pyrex[®] glass 175
- r**
- Remanit[®] 1860 M 37
 Remanit[®] 1860 MS 37
 Remanit[®] 4521 28
 Remanit[®] 4522 28
 Remanit[®] 4575 177-178
 Remanit[®] steel 22-23, 31, 50, 67
- s**
- S235JR 145-146, 254-255
 S500N 145
 S30200 192
 S30400 105
 S30403 274-275
 S30888 104-105
 S31008 193
 S31254 245
 S31600 107, 110
 S31603 107, 195, 245, 357
 S31635 105, 107, 194, 196
 S31640 107
 S31726 51, 107
 S31803 150, 245, 271, 273, 356-357
 S32100 105, 160-161, 192-194
 S32205 107
 S32404 273
 S32750 195
 S32803 177, 245
 S355J0 239
 S355N 145-146, 240, 268, 298, 313, 315
 S41000 100, 102
 S42000 103, 148, 191
 S43080 177
 S44627 29, 178
 SAE 201 32, 37
 SAE 302 28, 37, 44, 47, 50, 98, 343
 SAE 303 274, 343
 SAE 303 super 343
 SAE 304 28-29, 33-35, 38, 40, 42, 44,
 49-50, 73-74, 98, 111-112, 114, 169-170,
 181-183, 192, 241-242, 253, 255,
 257-260, 271, 274-276, 285, 330,
 332-333, 343, 345
 SAE 304 H 169-171
 SAE 304 L 30, 34-35, 38, 44, 48, 274-276,
 343, 346, 349
 SAE 305 40
 SAE 305 Cu 343
 SAE 308 42
 SAE 308 H 169-171
 SAE 309 37, 52, 67, 169, 343
 SAE 309 L 169-170
 SAE 310 34-35, 42, 48, 110, 260, 271, 276,
 330, 343, 347-349
 SAE 310 MoLN 73
 SAE 316 28-30, 33-34, 38, 48, 52-53,
 55-57, 59-62, 64-68, 98, 110-112, 114,
 169, 178, 182, 195, 241-242, 260,
 274-276, 282-283, 285, 343-344,
 347-348, 350, 352, 355
 SAE 316 Cb 33, 61
 SAE 316 ELC 52, 67
 SAE 316 H 169-171
 SAE 316 L 34, 52, 169-171, 179-180, 182,
 184, 272, 274, 283, 343
 SAE 316 Ti 33-34, 36, 38, 50-51, 55, 67,
 115, 182, 361-362
 SAE 317 33, 52-53, 55-56, 60, 63, 67, 110,
 112, 114, 182
 SAE 317 L 33, 69
 SAE 321 33-34, 36, 38, 42, 44, 50, 257,
 259-260

- SAE 329 48, 177
 SAE 330 343
 SAE 347 33–34, 36, 42, 44, 47, 49–50, 53,
 56, 98, 206, 258
 SAE 403 333
 SAE 405 22, 26, 332–333
 SAE 410 22, 26, 31, 37, 40, 52, 68, 74, 176,
 241–242, 271, 332, 334
 SAE 410 S 178
 SAE 416 22, 40
 SAE 420 19, 22, 39, 257
 SAE 430 27, 37, 52, 68, 176, 178, 241–242
 SAE 431 19, 39
 SAE 434 29, 177
 SAE 439 27, 36, 57
 SAE 440 39
 SAE 443 28
 SAE 444 27–28
 SAE 446 52, 68
 SAE 904 L 69, 73, 182
 SAE 1008 6
 SAE 1020 4, 189, 264
 SAE 1030 306
 SAE 1042 256
 SAE 4130 41, 225–226
 SAE 4340 41
 Sandvik® 2RK65 69, 73, 179
 Sandvik® steel 69
 Sanicro® 28 167
 Sicromal® 75
 Sicromal® 12 48
 Siferid® 176
 silicon bronze 56–57
 silicon cast iron 175, 319
 slag cement 213–214
 special iron-based alloys 73, 100, 107,
 183, 362
 spring steel 225
 St 2 6
 St 3 4–6, 99–100, 102, 188–189, 206, 215,
 217, 264
 St 35 295
 St 37 202–205, 254–255
 St 45 4, 264
 St 52 236
 St 52-3 239
 stainless structural steels 219
 StE 355 232, 240
 StE 460 232, 240
 structural steels 102
 structural steels with up to 12%
 chromium 19, 102, 176, 219
 superduplex steels 337–338
- ‡
 T 1 225–227
 Tantiron® alloys 18
 tempered steels 142, 227
 Tenelon® steels 28
 Thermissid® 176
 Ti 3 245–246
 titanium 35, 112, 114, 209, 241–242, 246
 titanium alloy 57
 TP347H 167
- u
 UHB® 44 LN 179–180
 unalloyed and low-alloyed cast iron 223
 unalloyed and low-alloy steels/cast
 steel 119, 223, 293
 unalloyed cast iron 12, 95, 175, 218, 257
 unalloyed cast iron and low-alloy cast
 iron 119, 269, 316
 unalloyed steels 5–6, 8, 12, 14–15, 95, 97,
 121, 131–133, 136, 138, 149, 175, 199,
 218, 241–242, 254, 257, 263, 276, 293,
 295, 299, 306, 310, 316, 348
 unalloyed steels and cast steel 3, 95, 175,
 187, 199, 251
 unalloyed steels and low-alloy steels/cast
 steel 263
 Uniloy® 326 28
 UNS F138 357
 UNS F41000 73, 218
 UNS F41001 218
 UNS F41002 75, 218
 UNS F41003 218
 UNS G10150 149, 202–205
 UNS G10060 187
 UNS G41350 142–143
 UNS G43400 142–143
 UNS G51400 209
 UNS H13400 142–143
 UNS J92610 274
 UNS N08926 182
 UNS K01600 232
 UNS K01700 232
 UNS K01702 254–255
 UNS K02001 145
 UNS K02502 99–100, 102, 145, 188–189,
 206, 215, 217
 UNS K11547 120, 145, 232
 UNS K11820 232
 UNS K12000 239
 UNS K12004 232
 UNS K12709 145
 UNS K13050 73
 UNS N06022 245

- UNS N06985 245
 UNS N08031 195
 UNS N08800 245
 UNS N08825 245
 UNS N08904 51, 245, 356–357
 UNS N08926 195
 UNS N10665 245
 UNS S235JR 145–146, 254–255
 UNS S500N 145
 UNS S30200 192
 UNS S30400 105
 UNS S30403 274–275
 UNS S30888 104–105
 UNS S31000 182
 UNS S31008 193
 UNS S31254 245
 UNS S31600 107, 110
 UNS S31603 107, 195, 245, 356–357
 UNS S31635 105, 107, 194, 196
 UNS S31640 107
 UNS S31726 51, 107
 UNS S31803 150, 245, 271, 273, 356–357
 UNS S32100 105, 160–161, 192–194
 UNS S32205 107
 UNS S32404 273
 UNS S32750 195
 UNS S32803 177, 245
 UNS S355J0 239
 UNS S355N 145–146, 240, 268, 298, 313, 315
 UNS S41000 100, 102
 UNS S42000 103, 148, 191
 UNS S43080 177
 UNS S44627 29, 178
 Uranus 50 273, 335
 USS Tenelon® 37
- w**
- welding materials 169
 Weldshyne EWC® 55
 Worthite® 53, 68–71, 74
- x**
- X1CrNiMoCuN20-18-7 245
 X1CrNiMoCuN33-32-1 285, 361
 X1CrNiMoN25-25-2 73, 361
 X1CrNiMoNb28-4-2 177
 X1NiCrMoCu25-20-5 180, 182
 X1NiCrMoCuN25-20-7 180, 182
 X2CrMoNb18-2 28
 X2CrMoTi18-2 27–28
 X2CrMoTiS18-2 104
 X2CrNi19-11 44, 274
 X2CrNiMo17-12-2 179, 274
 X2CrNiMo18-14-3 107–108, 182–183, 244
 X2CrNiMoN17-13-5 107–108
 X2CrNiMoN17-13-5 183
 X2CrNiMoN22-5-3 107–108, 150, 336
 X2CrNiN23-4 335
 X3CrNiMo17-13-3 29, 61, 110
 X3CrNiMo18-12-3 182
 X3CrNiMoN27-5-2 177
 X4CrNiMo17-12-2 241
 X4NiCrMoCuNb20-18-2 180–182
 X5CrNi18-10 28, 44, 50, 105, 111, 182, 241, 255, 257–258
 X5CrNi19-9 104–105
 X5CrNiCuNb17-4-4 271, 334
 X5CrNiMo17-12-2 28, 61, 67, 107, 111, 182, 195, 353
 X6Cr13 178
 X6Cr17 27, 176, 178, 241
 X6CrAl13 22
 X6CrMo17-1 29, 177
 X6CrNiMoNb17-12-2 61, 107
 X6CrNiMoTi17-12-2 107–108, 182–183
 X6CrNiTi18-10 44, 50, 105
 X8Cr18 177
 X8CrMoTi17 104
 X10 167
 X10NiCrAlTi32-21 274–275
 X12Cr13 22, 31, 176, 241
 X12CrS13 22
 X15Cr13 31
 X15CrNiSi25-21 182
 X17CrNi16-2 19
 X20 167
 X20Cr13 19, 22, 148–150
 X20CrMo13 22–23
 X39CrMo17-1 19
 X-42 229–231
 X-46 229–231
 X-52 230–231
 X-60 230–231
 X 65 138–141
 XH78T 358
 XM-27 29–30
- z**
- Zeron® 337
 zinc 241–243
 zirconium 35, 246